



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/688,106	10/17/2003	Dale A. Gauthier	MPG.1C1C1DC	9252
20995	7590	04/05/2005	EXAMINER	
KNOBBE MARTENS OLSON & BEAR LLP			TANNER, HARRY B	
2040 MAIN STREET			ART UNIT	
FOURTEENTH FLOOR			PAPER NUMBER	
IRVINE, CA 92614			3744	

DATE MAILED: 04/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

SP

Office Action Summary	Application No.	Applicant(s)	
	10/688,106	GAUTHIER ET AL.	
	Examiner	Art Unit	
	Harry B. Tanner	3744	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 December 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 2 and 3 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 5, 12 and 19 respectively of U.S. Patent No. 6,062,482 in view of Torimitsu. The methods of controlling a HVAC system recited in claims 1-3 are the same as that of the patented claims except for the provision of a remote monitoring and control system. Torimitsu teaches the use of a remote monitoring and control system (see Figure 3) having an administrative computer that receives data from a plurality of refrigeration systems and transmits control signals in response to the received data signals. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the method of the patented claims such that they included the use of a remote monitoring and control system having an administrative computer that receives data from the HVAC system and transmits control signals in response to the received data in order to provide the ability to control a plurality of systems from a central location in view of the teachings of Torimitsu.

Claim 4 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 6 of U.S. Patent No. 6,176,436 in view of Torimitsu. The HVAC control apparatus recited in claim is the same as that of the patented claim except for the provision of a remote monitoring and control system. Torimitsu teaches the use of a remote monitoring and control system (see Figure 3) having an administrative computer that receives data from a plurality of refrigeration systems and transmits control signals in response to the received signals. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the HVAC control apparatus of the patented claim such that it included the use of a remote monitoring and control system having an administrative computer that receives data from the HVAC system and transmits control signals in response to the received data signals in order to provide the ability to control a plurality of systems from a central location in view of the teachings of Torimitsu.

Applicant's arguments filed 12/27/04 have been fully considered but they are not persuasive. For example, with respect to applicant's contention that there is no motivation to combine Torimitsu with the claims of the prior and commonly owned patents because Torimitsu is concerned with food storage whereas the commonly owned patents are concerned with HVAC systems, it is the examiner's position that Torimitsu suggest to one of ordinary skill in the art that computer networks are useful in monitoring and controlling refrigeration systems remotely regardless as to what the

refrigeration systems are used for and accordingly would suggest using such networks to monitor and control the systems of the commonly owned patents.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harry B. Tanner whose telephone number is (571) 272-4813. The examiner can normally be reached 8:30 am to 6:00 pm Monday, Tuesday, Wednesday and Friday and 2:00 pm to 6:00 pm Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel, can be reached on (571) 272-4808. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status

Art Unit: 3744

information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://portal.uspto.gov/external/portal/pair>.

Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read "H. B. Tanner".

Harry B. Tanner
Primary Examiner
Art Unit 3744